

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6035305".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 13:01
S2	141	"705"/\$.ccls. and configurator and (hierarchy or hierarchical \$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 13:43
S3	219	configurator and (class or categor\$3 or categorization or tree or tier or hierarch\$3 or hierachical\$2) and ((sub adj (class or categor\$3 or categorization)) or subclass or subcategor\$3 or subcategorization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:21
S4	1437	(configurator or (product near5 configur\$6)) and (class or categor\$3 or categorization or tree or tier or hierarch\$3 or hierachical\$2) and ((sub adj (class or categor\$3 or categorization)) or subclass or subcategor\$3 or subcategorization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:22
S5	325	"705"/\$.ccls. and (configurator or (product near5 configur\$6)) and (class or categor\$3 or categorization or tree or tier or hierarch\$3 or hierachical\$2) and ((sub adj (class or categor\$3 or categorization)) or subclass or subcategor\$3 or subcategorization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:24

S6	85	"705"/\$.ccls. and (configurator or (product near5 configur\$6)) and (class or categor\$3 or categorization or tree or tier or hierarch\$3 or hierachical\$2) and ((sub adj (class or categor\$3 or categorization)) or subclass or subcategor\$3 or subcategorization) and electrical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:25
S7	2403	"705"/\$.ccls. and (configurator or (product near5 configur\$6)) and (class\$3 or categor\$3 or categoriz\$6 or tree or tier or hierarch\$3 or hierachical\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:31
S8	1369	"705"/\$.ccls. and (configurator or (product near5 configur\$6)) and (class\$3 or categor\$3 or categoriz\$6 or tree or tier or hierarch\$3 or hierachical\$2) and (rule or rule adj based or rules adj based)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:32
S9	2928	"705"/\$.ccls. and (configurator or ((product or item) near5 (customiz \$6 or tailor\$3 or personaliz \$6 or configur\$6))) and (class\$3 or categor\$3 or categoriz\$6 or tree or tier or hierarch\$3 or hierachical\$2) and (rule or rule adj based or rules adj based)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:33
S10	434	"705"/\$.ccls. and (configurator or ((product or item) near5 (customiz \$6 or tailor\$3 or personaliz \$6 or configur\$6))) and (class\$3 or categor\$3 or categoriz\$6 or tree or tier or hierarch\$3 or hierachical\$2) and (rule or rule adj based or rules adj based) and ((sub adj (class or categor\$3 or categorization)) or subclass or subcategor\$3 or subcategorization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:34

S11	87	"705"/\$.ccls. and (configurator or ((product or item) near5 (customiz \$6 or tailor\$3 or personaliz \$6 or configur\$6))) and ((rule or polic\$3 or constrain\$3) same (class \$3 or categor\$3 or categoriz\$6 or tree or tier or hierarch\$3 or hierarchical \$2)) and (rule or constrain \$3 or polic\$3 or rule adj based or rules adj based) and ((rule or polic\$3 or constrain\$3) same ((sub adj (class or categor\$3 or categorizat\$6)) or subclass or subclass\$3 or subclass\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:38
S14	2201	configurator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 11:07
S15	1254	configurator and (class or categor\$3 or categorization or tree or tier or hierarch\$3 or hierarchical\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 11:07
S16	23	(configurator) and (rule or policy or policies or constrain or constraint or constrained or constraining or restrict or restricted or restriction or restricting) and (class or classes or category or categories or categorize or categorizing or categorized or categorization or tree or tier or hierarchy or hierarchies or hierarchical or hierarchically) and ((sub adj (class or classes or category or categories or categorizate or categorizing or categorization)) or subclass or subcategory or subcategories or subcategorize subcategorizing or subcategorization) and (natural adj language) and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 11:08

		(template)				
S17	257	"705"/\$.ccls. and configurator and (class or categor\$3 or categorization or tree or tier or hierarch\$3 or hierachical\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 11:11
S18	199	(configurator) and (rule or policy or policies or constrain or constraint or constrained or constraining or restrict or restricted or restriction or restricting) and (class or classes or category or categories or categorize or categorizing or categorized or categorization or tree or tier or hierarchy or hierarchies or hierachical or hierarchically) and ((sub adj (class or classes or category or categories or categorizate or categorizing or categorization)) or subclass or subcategory or subcategories or subcategorize subcategorizing or subcategorization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 11:40
S19	8508	705/26-27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:21
S20	23	(configurator) and (rule or policy or policies or constrain or constraint or constrained or constraining or restrict or restricted or restriction or restricting) and (class or classes or category or categories or categorize or categorizing or categorized or categorization or tree or tier or hierarchy or hierarchies or hierachical or hierarchically) and ((sub adj (class or classes or category or categories or categorizate or categorizing or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 12:21

		categorization)) or subclass or subcategory or subcategories or subcategorize subcategorizing or subcategorization) and (natural adj language) and (template)				
S21	21	(configurator) and (rule or policy or policies or constrain or constraint or constrained or constraining or restrict or restricted or restriction or restricting) and (class or classes or category or categories or categorize or categorizing or categorized or categorization or tree or tier or hierarchy or hierarchies or hierachical or hierarchically) and ((sub adj (class or classes or category or categories or categorizate or categorizing or categorization)) or subclass or subcategory or subcategories or subcategorize subcategorizing or subcategorization) and (natural adj language) and (template) not ("20080120129".pn. or "20070150387".pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 13:29
S22	2	("7386832".pn. "20070226066".pn. "6886135".pn.) and (configurator) and (rule or policy or policies or constrain or constraint or constrained or constraining or restrict or restricted or restriction or restricting) and (class or classes or category or categories or categorize or categorizing or categorized or categorization or tree or tier or hierarchy or hierarchies or hierachical or hierarchically) and ((sub adj (class or classes or category or categories or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 14:00

		categorizate or categorizing or categorization)) or subclass or subcategory or subcategories or subcategorize subcategorizing or subcategorization) and (natural adj language) and (template) not ("20080120129".pn. or "20070150387".pn.)				
S23	14	"5,339,392".pn. "5,550,971".pn. "5,675,752".pn. "6,460,040".pn. "6,886,135".pn. "6,920,607".pn. "7,039,875".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 14:01
S24	146	((configur\$6 with (product or item or merchandise)) and (rule or policy or policies or constrain or constraint or constrained or constraining or restrict or restricted or restriction or restricting) and (class or classes or category or categories or categorize or categorizing or categorized or categorization or tree or tier or hierarchy or hierarchies or hierachical or hierarchically) and ((sub adj (class or classes or category or categories or categorizate or categorizing or categorization)) or subclass or subcategory or subcategories or subcategorize subcategorizing or subcategorization) and (natural adj language) and (template) not ("20080120129".pn. or "20070150387".pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 14:04
S25	5	((configurator) with (creat \$4 or generat\$4 or design \$3)) and (natural adj language) and (template) not ("20080120129".pn. or "20070150387".pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 16:23

S26	8	((configurator) same (creat \$4 or generat\$4 or design \$3)) and (natural adj language) and (template) not ("20080120129".pn. or "20070150387".pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 16:24
S27	712	((configurator) with (creat \$4 or generat\$4 or design \$3)) not ("20080120129".pn. or "20070150387".pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 16:25
S28	489	S27 and (class or classes or category or categories or categorize or categorizing or categorizer or categorized or categorization or tree or tier or hierarchy or hierarchies or hierarchical or hierarchically)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 16:28
S29	407	S28 and (rule or policy or policies or constrain or constraint or constrained or constraining or restrict or restricted or restriction or restricting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 16:29
S30	68	S29 and ((sub adj (class or classes or category or categories or categorizate or categorizing or categorization)) or subclass or subcategory or subcategories or subcategorize subcategorizing or subcategorization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 16:29
S31	17	("5500802").URPN.	USPAT	OR	ON	2008/10/28 16:42
S32	30	("5877966").URPN.	USPAT	OR	ON	2008/10/28 16:42
S33	46	S31 or S32	USPAT	OR	ON	2008/10/28 16:43
S34	2	S33 and (natural adj language)	USPAT	OR	ON	2008/10/28 16:43
S35	2	("5500802".pn. or "5877966".PN.) and (rule)	USPAT	OR	ON	2008/10/28 17:24
S36	2	("5500802".pn. or "5877966".PN.) and (class or subclass)	USPAT	OR	ON	2008/10/28 17:26

S37	2	("5500802".pn. or "5877966".PN.) and (tree or hierarch\$3 or hierarchical\$2)	USPAT	OR	ON	2008/10/28 17:27
S38	0	("5500802".pn. or "5877966".PN.) and (categ\$3 or categoriz\$4 or categorization)	USPAT	OR	ON	2008/10/28 17:28
S39	2	("5500802".pn. or "5877966".PN.) and (attribute or value)	USPAT	OR	ON	2008/10/28 17:28
S40	8	siebel.as. and configurator and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 14:50
S41	3	siebel.as. and customizable and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 14:51
S42	8	oracle.as. and configurator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 15:05
S43	95	oracle.as. and customizable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 15:06
S44	1	"20090089174".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:35
S45	1	"20090089174".pn. and ((template) same (identif \$4) same (operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:36
S46	1	"20090089174".pn. and ((template) and (identif\$4) and (operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:39
S47	1	"20090089174".pn. and ((template) same (attribute with (name or identif\$4)) same (expression or operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:42

S48	1	"20090089174".pn. and ((template) same (expression or operator)) and ((attribute with (name or id or identif\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:43
S49	1	"20090089174".pn. and ((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:45
S50	1	"20090089174".pn. and ((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rule or constrain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:48
S51	1	"20090089174".pn. and ((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rule or constrain\$4) and (configur \$6 or custom or customiz \$6 or personaliz\$6 or tailor \$4 or configurator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:51
S52	347	((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rule or constrain\$4) and (configur \$6 or custom or customiz \$6 or personaliz\$6 or tailor \$4 or configurator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:52

S53	0	"6035305".pn. and ((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rule or constrain\$4) and (configur \$6 or custom or customiz \$6 or personaliz\$6 or tailor \$4 or configurator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:53
S54	0	"6035305".pn. and ((template) and (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rule or constrain\$4) and (configur \$6 or custom or customiz \$6 or personaliz\$6 or tailor \$4 or configurator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:53
S55	0	"6035305".pn. and ((template) and (expression or operator)) and ((attribute same (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rule or constrain\$4) and (configur \$6 or custom or customiz \$6 or personaliz\$6 or tailor \$4 or configurator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:54
S56	0	"6035305".pn. and ((template) and (expression or operator)) and ((attribute same (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rule or restrict\$4 or constrain\$4) and (configur\$6 or custom or customiz\$6 or personaliz \$6 or tailor\$4 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:55

		configurator)				
S57	0	"6035305".pn. and (template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:55
S58	1	"6035305".pn. and (expression or operator) and ((attribute same (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rule or restrict\$4 or constrain\$4) and (configur\$6 or custom or customiz\$6 or personaliz\$6 or tailor\$4 or configurator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:55
S59	1178	((template) and (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rule or constrain\$4) and ((configur\$6 or custom or customiz\$6 or personaliz\$6 or tailor\$4 or configurator) with (component or service or product))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:58
S60	240	((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rule or constrain\$4) and ((configur\$6 or custom or customiz\$6 or personaliz\$6 or tailor\$4 or configurator) with (component or service or product))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:59

S61	95	((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and ((rule or restrict\$ or constrain\$4) same (class or subclass or categor\$3 or subcategor\$3)) and ((configur\$6 or custom or customiz\$6 or personaliz\$6 or tailor\$4 or configurator) with (component or service or product))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 18:59
S62	142	((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and ((relationship or relat\$4 or rule or restrict\$ or constrain\$4) with (class or subclass or categor\$3 or subcategor\$3)) and ((configur\$6 or custom or customiz\$6 or personaliz\$6 or tailor\$4 or configurator) with (component or service or product))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 19:04
S63	143	((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and ((relationship or relat\$4 or rule or restrict\$ or constrain\$4) with (class or subclass or categor\$3 or subcategor\$3)) and ((configur\$6 or custom or customiz\$6 or personaliz\$6 or tailor\$4 or configurator or bundl\$3) with (component or service or product))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 19:05

S64	152	((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and ((hierarchy or hierarchical or tree or relationship or relat\$4 or rule or restrict\$4 or constrain\$4) with (class or subclass or categor\$3 or subcategor\$3)) and ((configur\$6 or custom or customiz\$6 or personaliz\$6 or tailor\$4 or configurator or bundl\$3) with (component or service or product))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/02 19:07
S65	14	((template) same (expression or operator)) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and ((customize or customizable or customization or customizing or customized or tailor\$4 or programmable) with (rule or restrict\$4 or constrain\$3 or constraint)) and ((hierarchy or hierarchical or tree or tier or tiered or class or subclass or categor\$3 or subcategor\$3) and ((configur\$6 or custom or customiz\$6 or personaliz\$6 or tailor\$4 or bundl\$3) with (component or service or product))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 09:06
S66	2	"20020143653".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 09:07

S67	30	"20020143653".pn. "5,339,392".pn. "5,550,971".pn. "5,630,025".pn. "5,675,752".pn. "5,877,966".pn. "6,300,948".pn. "6,460,040".pn. "6,779,155".pn. "6,886,135".pn. "6,920,607".pn. "7,039,875".pn. "7,386,832".pn. "20050102199".pn. "20070226066".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 09:13
S68	23	(S65 S67) and (rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 09:14
S69	15	((S65 S67) and (template or expression or operator) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and ((customize or runtime or run adj time or dynamic\$4 or automat\$4 or automatic \$4 or customizable or customization or customizing or customized or tailor\$4 or programmable) with (rule or restrict\$4 or constrain \$3 or constraint)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 09:16
S70	1	"20020143653".pn. and (S65 S67) and (template or expression or operator) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and ((customize or runtime or run adj time or dynamic\$4 or automat\$4 or automatic \$4 or customizable or customization or customizing or customized or tailor\$4 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 09:45

		programmable) with (rule or restrict\$4 or constrain\$3 or constraint)) and rul\$3				
S71	1	"20020143653".pn. and (S65 S67) and (template or expression or operator) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and (rul\$3 or operand or operator or restrict\$4 or constrain\$3 or constraint or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 09:52
S72	2	"20020143653".pn. and (S65 S67) and (template or expression or operator or attribute or name or id or identif\$4 or identification or component or item or product or subproduct or subcomponent or subitem or assembly or subassembly or rul\$3 or operand or restrict\$4 or constrain\$3 or constraint or template or class or hierarchy or hierarchical or tree or node or subclass or classif\$4 or classification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 09:58
S73	1	"6035305".pn. and (expression or operat\$3 or operand) and (rul\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 10:03
S74	15	(S65 S67) and (template or expression or operator or operand) and ((attribute with (name or id or identif\$4)) same (component or item or product or subcomponent or subitem or assembly or subassembly)) and ((customize or runtime or run adj time or dynamic\$4 or automat\$4 or automatic\$4 or customizable or customization or customizing or customized or tailor\$4 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 10:37

		programmable) with (rule or restrict\$4 or constrain \$3 or constraint))				
S75	0	"20020143653".pn. and ((id or identif\$4 or identification or name or attribute) same (template or expression or operator) same (component or item or product or subcomponent or subitem or assembly or subassembly or subproduct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:06
S76	2	"20020143653".pn. and ((id or identif\$4 or identification or name or attribute) same (component or item or product or subcomponent or subitem or assembly or subassembly or subproduct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:07
S77	2	"20020143653".pn. and ((id or identif\$4 or identification or name or attribute) same (component or item or product or subcomponent or subitem or assembly or subassembly or option or subproduct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:08
S78	2	"20020143653".pn. and ((id or identif\$4 or identification or name or attribute) same (corecomponent or componentid or component or item or product or subcomponent or subitem or assembly or subassembly or option or subproduct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:12

S79	2	"20020143653".pn. and ((id or identifi\$4 or identification or name or attribute or template or expression or operand or operator) same (corecomponent or componentid or component or item or product or subcomponent or subitem or assembly or subassembly or option or subproduct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 11:12
S80	1	"20090089174".pn. and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 16:11
S81	3	"20090089174".pn. "20020143653".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:30

4/ 13/ 09 7:00:54 AM

C:\ Documents and Settings\ RPond\ My Documents\ EAST\ workspaces\ 09945441.wsp